

L Number	Hits	Search Text	DB	Time stamp
1	5	((data adj transfer\$5) same control\$3) and (bus with node) and (reset same (period or interval)) and identif\$6 and packet and topology and @ad<19990715 and (710/3.ccls. or 710/4.ccls. or 710/29.ccls. or 710/32.ccls. or 710/33.ccls. or 710/40.ccls. or 710/58.ccls. or 710/59.ccls. or 710/240.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 17:11
2	5	((data adj transfer\$5) same control\$3) and (bus with node) and (reset same (period or interval)) and identif\$6 and packet and topology and @ad<19990715 and (bit) and (710/3.ccls. or 710/4.ccls. or 710/29.ccls. or 710/32.ccls. or 710/33.ccls. or 710/40.ccls. or 710/58.ccls. or 710/59.ccls. or 710/240.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 17:12
3	2	((data adj transfer\$5) same control\$3) and (bus with node) and (reset same (period or interval)) and identif\$6 and packet and topology and @ad<19990715 and (bit with indicat\$3) and (710/3.ccls. or 710/4.ccls. or 710/29.ccls. or 710/32.ccls. or 710/33.ccls. or 710/40.ccls. or 710/58.ccls. or 710/59.ccls. or 710/240.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 17:13
4	0	((data adj transfer\$5) same control\$3) and (bus with node) and (reset same (period or interval)) and identif\$6 and packet and topology and @ad<19990715 and (bit with indicat\$3) and ram and (packet\$4 with control\$5) and (packet\$4 with data) and (710/3.ccls. or 710/4.ccls. or 710/29.ccls. or 710/32.ccls. or 710/33.ccls. or 710/40.ccls. or 710/58.ccls. or 710/59.ccls. or 710/240.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 17:13
5	2	(data same transfer\$5 same control\$4) and node and bus and write and (pointer same information same stor\$5) and (firewire or (ieee adj "1394")) and reset and @ad<19990615 and (710/3.ccls. or 710/4.ccls. or 710/29.ccls. or 710/32.ccls. or 710/33.ccls. or 710/40.ccls. or 710/58.ccls. or 710/59.ccls. or 710/240.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 17:14
6	0	(data same transfer\$5 same control\$4) and node and bus and write and (pointer same information same stor\$5) and (firewire or (ieee adj "1394")) and reset and @ad<19990715 and topology and (710/3.ccls. or 710/4.ccls. or 710/29.ccls. or 710/32.ccls. or 710/33.ccls. or 710/40.ccls. or 710/58.ccls. or 710/59.ccls. or 710/240.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 17:14
-	0	((data adj transfer\$5) same control\$3) and (bus with node) and (reset adj (period or interval)) and identif\$6 and packet and topology and (ieee adj "1394") and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 19:39
-	0	((data adj transfer\$5) same control\$3) and (bus with node) and (reset adj (period or interval)) and identif\$6 and packet and topology and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 16:30

-	57	((data adj transfer\$5) same control\$3) and (bus with node) and (reset same (period or interval)) and identif\$6 and packet and topology and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 17:09
-	1	((data adj transfer\$5) same control\$3) and (bus with node) and (reset same (period or interval)) and identif\$6 and packet and topology and @ad<19990715 and firewire	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 16:31
-	57	((data adj transfer\$5) same control\$3) and (bus with node) and (reset same (period or interval)) and identif\$6 and packet and topology and @ad<19990715 and (bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 17:12
-	7	((data adj transfer\$5) same control\$3) and (bus with node) and (reset same (period or interval)) and identif\$6 and packet and topology and @ad<19990715 and (toggl\$3 with bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 16:44
-	0	5590124.pn. and (toggl\$3 adj bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 16:45
-	1	5590124.pn. and (toggl\$3 with bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/08/29 16:45
-	34	((data adj transfer\$5) same control\$3) and (bus with node) and (reset same (period or interval)) and identif\$6 and packet and topology and @ad<19990715 and (bit with indicat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 17:12
-	12	((data adj transfer\$5) same control\$3) and (bus with node) and (reset same (period or interval)) and identif\$6 and packet and topology and @ad<19990715 and (bit with indicat\$3) and ram and (packet\$4 with control\$5) and (packet\$4 with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/04 17:12
-	0	6219697.pn. and pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 19:38
-	1	5590124.pn. and toggl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 14:32
-	1	6219697.pn. and point\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 19:38
-	0	5559801.pn. and pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 19:39
-	1	5499374.pn. and pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/03 19:42

-	18	(data same transfer\$5 same control\$4) and node and bus and write and (pointer same information same stor\$5) and (firewire or (ieee adj "1394")) and reset and @ad<19990615	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 17:12
-	18	(data same transfer\$5 same control\$4) and node and bus and write and (pointer same information same stor\$5) and (firewire or (ieee adj "1394")) and reset and @ad<19990715	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/03 19:44
-	6	(data same transfer\$5 same control\$4) and node and bus and write and (pointer same information same stor\$5) and (firewire or (ieee adj "1394")) and reset and @ad<19990715 and topology	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/09/04 17:13